1/1

My Quad yaws and or banks near full throttle! Is that normal? What to do against that?

t Emmbe caused by off center CG, or unmatched motors, or quad not straight. All motors of quad not straight. All motors of the vertical and parallel to each other than the control of the little of the capable of the control of the

Permanent link:

That 18 / smass with many different motors made by different companies and some of the

FWst of 916, are a bit different since water this "problems" near full throttle. Silverwar all power available from the motors on full throttle (wirh stock settings), there is no spare throttle left to confections with stock settings), there is no spare throttle left to confections with stock settings, there is no spare throttle left to confections with stock settings and throttle.

BOH FANADO THE PRESIDENT OF THE THROTTLE

###FIER MIXE THE POTITION TO BE PROSERVED SOFT YOUR PROPERTY OF YOUR PROPERTY OF THE POSSIBLE FOR ANOTHER WAY IN THE POSSIBLE FOR ANOTHER WAY IN THE POSSIBLE FOR ANOTHER WAY IN THE POSSIBLE FOR ANOTHER POSSIBLE FOR ANOT

Plot መዛቴ ligolike that? Here is a text, freely copied from a RCGroups Post by Silverxxx const float outlimit[PIDNUMBER] = { 0.8 , 0.8 , 0.4 };

limit of integral term (abs)
const float integrallimit[PIDNUMBER] = { 0.8 , 0.8 , 0.4 };

The limit for roll and pitch is 0.8, and for yaw 0.4 in this case (defaults)

You could increase 0.4 in both places or reduce the other 2 axes limit, for example. sadly, this won't fix the unbalance, it will just transfer it to another axis, or make it less noticeable.

Just play with these values a bit and see what happens. Sometimes even reducing yaw limit (or one of the others) can help - a quad's behavior is not always logical...